



**MITCHELL
MANN**

803-381-7246

MMANN@BDBOOT.COM



SPRING FOOTWEAR

2024

carhartt.



TABLE OF CONTENTS

Technology	2	Outdoor Trail	29
Women's	3	Millbrook	31
Insite® Contoura® Footbed	5	Wedge	35
Carhartt LWD Midsole	5	Montana	39
Carhartt Heel Kicker	6	Ironwood	41
Detroit	7	Classic Welt	45
Haslett	7	Ground Force	47
Force	9	Heritage	51
Gilmore	10	Kentwood	55
Wedge	11	Rugged Flex®	57
Ironwood	13	Rugged Flex® Square Toe.	61
Rugged Flex®	14	Met Guard	63
Men's	15	Puncture Resistant	65
Insite® Footbed	17	Mudrunner	67
Carhartt LWD Midsole.	17	Woodworks.	69
Carhartt Heel Kicker	18	Yukon Extremes Pac Boot	71
Haslett	19	POP	73
Detroit	19	Banner Ads & Email Blasts	75
Force	21	Territory Map.	75
Gilmore	25	Sales Contact Information	76
Outdoor.	27		

STYLE AND PAGE INDEX

***NEW STYLE FOR SPRING 2024**

Style Number	Page	Style Number	Page	Style Number	Page	Style Number	Page	Style Number	Page	Style Number	Page
CMC1259	72	CMP1270	53	FA4015-M	23	FH5057-W	10	FQ1265-M	40	FT8002-M	43
CMD3461	23	CMP1453	46	FA4414-M	23	FH5520-M	28	FQ1275-M	40	FT8500-M	43
CME1355	48	CMR6971	66	FA5016-M	24	FH5550-M	25	FQ1284-M	40	FT8509-M	43
CME6047	50	CMR8939	66	FA5017-M	24	FH5556-W	10	FS2001-W	8	FW1031-W	12
CME6347	50	CMR8959	66	FA5021-M	24	FH6051-M	26	FS2002-W	8	FW1032-M	36
CME6351	49	CMV1121	68	FA5041-M	24	FH6052-M	26	FS2003-W	8	FW1034-W	12
CME6355	49	CMV1451	68	FA5421-M	24	FH6085-W	10	FS2005-W	8	FW1230-M	36
CME8047	49	CMV1151	68	FA5441-M	24	FH6087-W	10	FS2401-W	8	FW1232-M	36
CME8355	48	CMW6095	37	FC2115-W	7	FH6587-W	10	FS2402-W	8	FW1234-W	12
CMF1721	64	CMW6174	46	FC2120-M	20	FH8021-M	26	FS2404-W	8	FW5025-W	11
CMF6056	59	CMW6175	37	FC2123-M	20	FH8022-M	26	FS2405-W	8	FW5033-M	38
CMF6066	59	CMW6191	37	FC2131-M	20	FH8421-M	26	FS4052-W	7	FW5233-M	38
CMF6284	60	CMW6197	46	FC2134-M	20	FI8000-W	5	FS4060-W	7	FW6021-W	12
CMF6356	59	CMW6220	54	FC2150-W	7	FK7200-M	56	FS4061-M	20	FW6022-W	11
CMF6366	59	CMW6274	46	FC2162-W	7	FK9201-M	56	FS4063-M	20	FW6025-W	12
CMF6371	59	CMW6275	37	FC2171-W	7	FM4000-M	34	FS4071-W	7	FW6027-W	11
CMF6380	59	CMW6295	37	FF5361-W	14	FM4200-M	34	FS4084-M	20	FW6035-M	38
CMF6720	64	CMW8200	54	FF6013-M	60	FM5000-M	33	FT1000-M	42	FW6077-M	37
CMF8058	58	CMX4023	38	FF6213-M	60	FM5004-M	33	FT1002-W	13	FW6082-M	37
CMF8389	58	CWF5355	14	FH2086-M	25	FM5010-M	33	FT1500-M	42	FW6225-W	12
CMF8720	64	FA3001-M	22	FH2451-M	25	FM5012-M	33	FT1502-W	13	FW8093-M	36
CMI9000	17	FA3002-M	22	FH2486-M	25	FM5201-M	33	FT1509-M	42	FW8095-M	36
CML8360	70	FA3003-M	22	FH3021-M	28	FM5204-M	33	FT6000-M	44	FW8275-M	36
CML8369	70	FA3401-M	22	FH3521-M	28	FM5210-M	33	FT6001-M	44		
CMP1100	53	FA3402-M	22	FH5020-M	28	FM5212-M	33	FT6002-W	13		
CMP1200	53	FA3403-M	22	FH5050-M	25	FP5071-M	30	FT6010-M	44		
CMP1218	62	FA3404-M	22	FH5051-M	25	FP5072-M	30	FT6500-M	44		
CMP1258	62	FA3491-W	9	FH5052-M	25	FQ1065-M	40	FT6501-M	44		
CMP1259	53	FA4014-M	23	FH5056-W	10	FQ1084-M	40	FT8000-M	43		

6" Boot	Page	8" Boot	Page	Pull On Boot	Page	Safety Toe	Page	Safety Toe	Page	Insulated	Page
CME6047	50	CME8355	48	CME1355	48	CMC1259	72	FH2451-M	25	CMC1259	72
CME6347	50	CMF8058	58	CMF1721	64	CMD3461	23	FH2486-M	25	CME8047	49
CME6351	49	CMF8389	58	CMP1100	53	CME1355	48	FH3521-M	28	CMF8058	58
CME6355	49	CMF8720	64	CMP1200	53	CME6347	50	FH5520-M	28	CMF8389	58
CMF6056	59	CML8360	70	CMP1218	62	CME6351	49	FH5550-M	25	CML8369	70
CMF6066	59	CML8369	70	CMP1258	62	CME6355	49	FH5556-W	10	CMP1259	53
CMF6284	60	CMR8939	66	CMP1259	53	CME8355	48	FH6587-W	10	CMR8939	66
CMF6356	59	CMR8959	66	CMP1270	53	CMF1721	64	FH8421-M	26	CMR8959	66
CMF6366	59	CMW8200	54	CMP1453	46	CMF6284	60	FK7200-M	56	FT1509-M	42
CMF6371	59	FH8021-M	26	CMV1121	68	CMF6356	59	FK9201-M	56	FT8509-M	43
CMF6380	59	FH8022-M	26	CMV1151	68	CMF6366	59	FM4200-M	34		
CMF6720	64	FH8421-M	26	CMV1451	68	CMF6371	59	FM5201-M	33		
CMR6971	66	FT8000-M	43	FK9201-M	56	CMF6380	59	FM5204-M	33		
CMW6095	37	FT8002-M	43	FQ1065-M	40	CMF6720	64	FM5210-M	33		
CMW6174	46	FT8500-M	43	FQ1084-M	40	CMF8389	58	FM5212-M	33		
CMW6175	37	FT8509-M	43	FQ1265-M	40	CMF8720	64	FQ1265-M	40		
CMW6191	37	FW8093-M	36	FQ1275-M	40	CML8360	70	FQ1275-M	40		
CMW6197	46	FW8095-M	36	FQ1284-M	40	CML8369	70	FQ1284-M	40		
CMW6220	54	FW8275-M	36	FT1000-M	42	CMP1200	53	FS2401-W	8		
CMW6274	46			FT1002-W	13	CMP1218	62	FS2402-W	8		
CMW6275	37			FT1500-M	42	CMP1258	62	FS2404-W	8		
CMW6295	37			FT1502-W	13	CMP1259	53	FS2405-W	8		
FF6013-M	60			FT1509-M	42	CMP1270	53	FT1500-M	42		
FF6213-M	60			FW1031-W	12	CMP1453	46	FT1502-W	13		
FH6051-M	26			FW1032-M	36	CMR6971	66	FT1509-M	42		
FH6052-M	26			FW1034-W	12	CMR8939	66	FT6500-M	44		
FH6085-W	10			FW1230-M	36	CMR8959	66	FT6501-M	44		
FH6087-W	10			FW1232-M	36	CMV1451	68	FT8500-M	43		
FH6587-W	10			FW1234-W	12	CMW6220	54	FT8509-M	43		
FK7200-M	56					CMW6274	46	FW1230-M	36		
FT6000-M	44					CMW6275	37	FW1232-M	36		
FT6001-M	44					CMW6295	37	FW1234-W	12		
FT6002-W	13					CMW8200	54	FW5233-M	38		
FT6010-M	44					CWF5355	14	FW6225-W	12		
FT6500-M	44					FA3401-M	22	FW8275-M	36		
FT6501-M	44					FA3402-M	22				
FW6021-W	12					FA3403-M	22				
FW6022-W	11					FA3404-M	22				
FW6025-W	12					FA3491-W	9				
FW6027-W	11					FA4414-M	23				
FW6035-M	38					FA5421-M	24				
FW6077-M	37					FA5441-M	24				
FW6082-M	37					FF5361-W	14				
FW6225-W	12					FF6213-M	60				

RETURNS AND WARRANTY INFORMATION

CARHARTT FOOTWEAR WARRANTY

- Boots and Shoes have a one year limited warranty in normal use, against any defects in materials, manufacturing and workmanship. The Black Diamond warranty does not cover damage due to holes worn in toes, burn marks, punctures, cuts and abrasions from outside causes, misuse and/or abuse by the wearer.
- The warranty may also be void if the user applies any materials not recommended for footwear, such as polishes, creams, oils or other chemicals that result in damage to the materials of the footwear.

DEALERSHIP RETURN GOODS POLICY

- Black Diamond Return Goods Department shall have the final decision as to the cause of damage and the replacement judgment.
- Black Diamond requires a customer's receipt as proof of purchase when sending footwear back for inspection.
- We expect our retailers to handle and accept returns in a businesslike and professional manner. Please have the consumer clean the footwear before returning them to Black Diamond for inspection.

WE DO NOT ACCEPT FOOTWEAR DIRECTLY FROM THE CONSUMER.

- We reserve the right to repair or replace at our discretion. No goods may be returned without prior authorization.
- Call 855-277-8944 for a Return Authorization Number.
- Please refer to The Black Diamond credit application for all other terms and conditions.



THE CARHARTT DIFFERENCE

Since 1889, Carhartt has manufactured premium workwear known for exceptional durability, comfort, and quality that you can feel in the materials and see in the performance. Just as our founder, Hamilton Carhartt, began four generations ago, Carhartt will continue to manufacture the most rugged and durable clothing and footwear for generations to come.



As a choice brand for those who work and play outdoors, Carhartt is proud to serve a variety of workers in many industries including construction and manufacturing along with farmers, ranchers, and outdoor enthusiasts. Your customers will enjoy our footwear and the technologies we use for the performance they want.

COMFORT REDEFINED




KEEPS YOU DRY

Icon	Feature	Performance
	Storm Defender™ Waterproof Breathable Protection	These shoes are designed to be completely waterproof and to keep your feet dry in most types of wet conditions. A waterproof and breathable membrane is used to keep your feet dry but promote air flow and circulation.
	Rain Defender™	These shoes are designed to be water repellent to keep your feet dry so you can work in light rain.




KEEPS YOU WARM













Icon	Feature	Performance
	Insulation	These shoes are designed to keep your feet warm in most types of cold conditions. The two types of insulating barriers used in Carhartt Footwear are LiteFire® and 3M™ Thinsulate™. LiteFire® is an aluminum based waterproof and breathable membrane that reflects body heat equivalent to 400, 600, 800 or 1000 grams of traditional insulation without the weight or bulk. 3M™ Thinsulate™ is a microfiber that insulates boots by trapping air molecules between you and the outside. 400 and 600 grams are used for cold conditions or moderate activity levels.
	FastDry™ Technology Lining	FastDry™ technology lining wicks away sweat for comfort.

KEEPS YOU STANDING

Icon	Feature	Performance
	Vibram Arctic Grip Outsole	Vibram Arctic Grip is innovative technology specifically engineered and designed to perform on wet ice. It's a unique polymer blend coupled with an advanced filler system, and new processing technique. Paired with Vibram Ictrek, which yields Vibram's best grip on dry ice, Vibram Arctic Grip offers Vibram performance, quality and durability.
	Outsole	Carhartt outsoles provide performance for the intended work and environment.
	Carhartt LWD	Carhartt LWD midsole provides elevated lightweight comfort with the expected Carhartt durability.

KEEPS YOU COMFORTABLE

Icon	Feature	Performance
	Insite® Footbed	Carhartt footbed made with Insite® is engineered to create maximum arch support to reduce foot fatigue during long days on the job.
	Insite® Contoura® Footbed	Carhartt women's footbed made with Insite® Contoura® patented ergonomic shape to help women evenly distribute pressure points and enhance support.
	Cushion Comfort Insole	Carhartt insole provides comfortable support and reduces foot fatigue.

Icon	Feature	Performance
	Nano Toe	Identifies protection against impact and compression hazards with a Nano (non-metallic) safety toe. Nano safety toe styles meet ASTM 2413-18 standards.
	Steel Toe	Identifies protection against impact and compression hazards with a steel safety toe. Steel toe styles meet ASTM 2413-18 standards.
	Composite Toe	Identifies protection against impact and compression hazards with a composite (non-metallic) safety toe. Composite toe styles meet ASTM 2413-18 standards.
	Alloy Toe	Alloy safety toe is made from blended metal and aluminum resulting in a thin, lightweight safety toe for strength and comfort all day. Alloy toe styles meet ASTM 2413-18 standards.
	Metatarsal Guard	Identifies protection against impact and compression hazards to the top of the foot with a metatarsal guard. Metatarsal styles meet ASTM 2413-18 standards.
	Electrical Hazard	Identifies secondary protection against incidental contact with electrical circuits of 18,000 volts or less under dry conditions. Electrical Hazard styles meet ASTM F2413-18 EH standards for safety toe footwear and ASTM F2892-18 for non-safety toe styles.
	Static Dissipative	Static Dissipative shoes reduce the risk of static shock to people and to the manufactured product in the workplace. Meets the ASTM F2413-18 SD 35 and ASTM F2892-18 SD 35 standards.
	Puncture Resistant & CSA	Identifies protection against puncture hazards to the bottom of the foot with a puncture resistant plate. Puncture Resistant styles meet ASTM 2413-18 standards. CSA Grade 1 toe protection and CSA electrical shock resistance of 18KV under dry conditions.
	Heel Guard®	The Carhartt Heel Guard® feature is designed to provide ankle stability, side impact protection and heel protection durability.
	Heel Stabilizer	The Carhartt Heel Stabilizer feature is designed to provide ankle stability and heel protection durability.
	Heel Kicker	Heel Kicker utility ledge for easy removal of boots.
	Helcor® Leather	Superior abrasion resistant, easy to clean leather.



WOMEN'S

COMFORT THAT KEEPS YOU MOVING

- Boots built for hard-working women
- Insite® footbeds in select styles
- Expanded women's selection now offered in six categories



WOMEN'S **FIT AND COMFORT** FOOTBEDS

Comfort Redefined. Insite® Contoura® Women's Footbeds designed specifically for a women's fit to help evenly distribute pressure points for maximum comfort in each step.

INNOVATIVE MATERIALS

Insite® Ecomcomfort™ dual-density foam engineered to optimize step-in comfort and breathability.

Insite® Contoura® patented ergonomic shape to help women evenly distribute pressure points and enhance support.

INSITE®
CONTOURA®
WOMEN'S FIT



BUILT WITH INSITE®

Carhartt footbeds with Insite® uses an ergonomic shape based on 120,000 foot scans for fit, form, and comfort that lasts as long as your day.

Insite® Contoura® Footbeds
FI8000-W

SIZES 6, 7, 8, 9, 10, 11



CARHARTT LWD MIDSOLE

Revolutionary lightweight, durable compound that provides high rebound and all-day comfort.





CARHARTT HEEL KICKER

Heel kicker utility ledge for easy removal of boots.



NEW Detroit Leather Sneaker

White	Soft Toe	FC2150-W
Light Purple	Soft Toe	FC2162-W
Medium Grey	Soft Toe	FC2115-W
Black	Soft Toe	FC2171-W

FEATURES

- Leather upper.
- FastDry™ technology lining wicks away sweat.
- Carhartt LWD Lightweight Durable midsole with Insite® footbed.
- Non-mutilating and non-metallic.
- Nylon shank.
- Cement construction with Carhartt rubber Detroit outsole.
- Imported.
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR



MIDSOLE



FASTDRY LINING



INSITE FOOTBED



RUBBER OUTSOLE



ELECTRICAL HAZARD



FC2150-W - White (Soft Toe)



FC2162-W - Light Purple (Soft Toe)



FC2115-W - Medium Grey (Soft Toe)



FC2171-W - Black (Soft Toe)

MEDIUM 6-10, 11

NEW Haslett Moc Toe Canvas Chukka

Brown	Soft Toe	FS4052-W
Grey	Soft Toe	FS4060-W
Black	Soft Toe	FS4071-W

FEATURES

- Lightweight durable canvas upper.
- FastDry™ technology lining wicks away sweat.
- Carhartt LWD Lightweight Durable midsole with women's Insite® Contoura® footbed.
- Non-mutilating and non-metallic.
- Nylon shank.
- Cement construction with Carhartt rubber Haslett outsole.*
- *OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 19.
- Imported.
- Soft Toe ASTM F2892-18 SD35
- Slip Resistant ASTM F3445-21 SR



MIDSOLE



FASTDRY LINING



INSITE CONTOURA FOOTBED



RUBBER OUTSOLE



ESD STATIC DISSIPATIVE



FS4052-W - Brown (Soft Toe)



FS4060-W - Grey (Soft Toe)



FS4071-W - Black (Soft Toe)

MEDIUM 6-10, 11

Haslett ESD Knit Work Sneaker

Light Pink	Nano Toe	FS2405-W
Burgundy	Nano Toe	FS2404-W
Grey	Nano Toe	FS2402-W
Black	Nano Toe	FS2401-W

FEATURES

- Lightweight knit upper with abrasion resistant heel and toe.
- FastDry™ technology lining wicks away sweat.
- Carhartt LWD Lightweight Durable midsole with women's Insite® Contoura® footbed.
- Non-mutilating and non-metallic.
- Nylon shank.
- Cement construction with Carhartt rubber Haslett outsole.*
- *OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 19.
- Imported.
- Safety Toe ASTM F2413-18 SD 35
- Slip Resistant ASTM F3445-21 SR



MIDSOLE



FASTDRY LINING



INSITE CONTOURA FOOTBED



RUBBER OUTSOLE



NANO TOE



ESD STATIC DISSIPATIVE



FS2405-W - Light Pink (Nano Toe)



FS2404-W - Burgundy (Nano Toe)



FS2402-W - Grey (Nano Toe)



FS2401-W - Black (Nano Toe)

MEDIUM 6-10, 11

Haslett Knit Sneaker

Light Pink	Soft Toe	FS2005-W
Blue	Soft Toe	FS2003-W
Grey	Soft Toe	FS2002-W
Black	Soft Toe	FS2001-W

FEATURES

- Lightweight knit upper with abrasion resistant heel and toe.
- FastDry™ technology lining wicks away sweat.
- Carhartt LWD Lightweight Durable midsole with women's Insite® Contoura® footbed.
- Non-mutilating and non-metallic.
- Nylon shank.
- Cement construction with Carhartt rubber Haslett outsole.*
- *OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 19.
- Imported.
- Soft Toe ASTM F2892-18 SD 35
- Slip Resistant ASTM F3445-21 SR



MIDSOLE



FASTDRY LINING



INSITE CONTOURA FOOTBED



RUBBER OUTSOLE



ESD STATIC DISSIPATIVE



FS2005-W - Light Pink (Soft Toe)



FS2003-W - Blue (Soft Toe)



FS2002-W - Grey (Soft Toe)



FS2001-W - Black (Soft Toe)

MEDIUM 6-10, 11

Force EH Work Sneaker

Black	Nano Toe	FA3491-W
-------	----------	----------

FEATURES

- Lightweight knit upper with reflective safety details and abrasion resistant heel and toe.
- FastDry™ technology lining wicks away sweat.
- Carhartt LWD Lightweight Durable midsole with Insite® footbed.
- Non-mutilating and non-metallic.
- Nylon shank.
- Cement construction with Carhartt Force® rubber outsole.*
- *OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 21.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Slip Resistant ASTM F3445-21 SR



FA3491-W - Black (Nano Toe)



MEDIUM 6-10, 11



Gilmore Waterproof Boot

Dark Grey	Alloy Toe Soft Toe	FH6587-W FH6087-W
Tan	Soft Toe	FH6085-W

FEATURES

- Nubuck leather upper with high abrasion resistant 1200D material.
- Storm Defender™ waterproof breathable membrane.
- Abrasion resistant toe.
- Heel Kicker utility ledge for easy-off.
- Reflective laces and heel pull-on tab.
- Carhartt LWD Lightweight Durable midsole with Insite® footbed.
- Nylon shank.
- Cement construction with Carhartt outdoor-ready rubber lug outsole.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR

FH6587-W - Dark Grey (Alloy Toe)
FH6087-W - Dark Grey (Soft Toe)

FH6085-W - Tan (Soft Toe)

MEDIUM 6-10, 11

Gilmore Waterproof Boot

Grey	Soft Toe	FH5057-W
Dark Brown	Alloy Toe Soft Toe	FH5556-W FH5056-W

FEATURES

- Nubuck leather upper.
- Storm Defender™ waterproof breathable membrane.
- Abrasion resistant toe.
- Heel Kicker utility ledge for easy-off.
- Carhartt LWD Lightweight Durable midsole with Insite® footbed.
- Nylon shank.
- Cement construction with Carhartt outdoor-ready rubber lug outsole.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR

FH5057-W - Grey (Soft Toe)

FH5556-W - Dark Brown (Alloy Toe)
FH5056-W - Dark Brown (Soft Toe)

MEDIUM 6-10, 11



ENVIRONMENT	GOOD	BETTER	BEST
OIL RESISTANCE		●	
CHEMICAL RESISTANCE		●	
ABRASION RESISTANCE			●
HEAT RESISTANCE		●	
SLIP RESISTANCE		●	

Performance chart is suggested for the intended environment.

6" Moc Toe Wedge Boot

Coyote	Soft Toe	FW6022-W
Dark Grey	Soft Toe	FW6027-W

FEATURES

- Nubuck leather upper.
- FastDry™ technology lining wicks away sweat.
- PU strobel pad with PU cushion insoles.
- Steel shank.
- Welt construction with dual density Carhartt rubber outsole.*

*OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 35.

- Imported.
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR

FASTDRY LINING

CUSHION COMFORT INSOLE

RUBBER OUTSOLE

ELECTRICAL HAZARD

FW6022-W - Coyote (Soft Toe)

FW6027-W - Dark Grey (Soft Toe)

MEDIUM/WIDE 6-10, 11	MULTI-FIT
-----------------------------	------------------

Chelsea Wedge Boot

Dark Brown	Soft Toe	FW5025-W
------------	----------	----------

FEATURES

- Oil tanned leather upper with stretch gore.
- FastDry™ technology lining wicks away sweat.
- PU strobel pad with Insite® footbed.
- Non-mutilating.
- Steel shank.
- Welt construction with dual density Carhartt rubber outsole.*

*OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 35.

- Imported.
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR

FASTDRY LINING

INSITE FOOTBED

RUBBER OUTSOLE

ELECTRICAL HAZARD

FW5025-W - Dark Brown (Soft Toe)

MEDIUM 6-10, 11

Waterproof 6" Moc Toe Wedge Boot

Light Brown	Steel Toe	FW6225-W
	Soft Toe	FW6025-W
Black	Soft Toe	FW6021-W

FEATURES

- Oil tanned leather upper.
- Storm Defender™ waterproof breathable membrane.
- FastDry™ technology lining wicks away sweat.
- PU strobrel pad with Insite® footbed.
- Steel shank.
- Goodyear welt construction with dual density Carhartt rubber outsole.*
- *OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 35.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR



FW6225-W - Light Brown (Steel Toe)
FW6025-W - Light Brown (Soft Toe)



FW6021-W - Black (Soft Toe)


MEDIUM 6-10, 11

Waterproof 10" Wellington Wedge Boot

Brown	Steel Toe	FW1234-W
	Soft Toe	FW1034-W
Black	Soft Toe	FW1031-W

FEATURES

- Oil tanned leather upper with stretch gore.
- Storm Defender™ waterproof breathable membrane.
- FastDry™ technology lining wicks away sweat.
- PU strobrel pad with PU cushion insoles.
- Non-mutilating.
- Steel shank.
- Goodyear welt construction with dual density Carhartt rubber outsole.
- *OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 35.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR



FW1234-W - Brown (Steel Toe)
FW1034-W - Brown (Soft Toe)



FW1031-W - Black (Soft Toe)

MEDIUM 6-10, 11

Ironwood Waterproof 6" Work Boot		
Brown	Soft Toe	FT6002-W

FEATURES

- Oil tanned leather upper.
- Storm Defender™ waterproof breathable membrane.
- Heel Kicker utility ledge for easy-off.
- Revolutionary light and high rebound PU midsole with Insite® Footbed.
- Nylon shank.
- Cement constructed with Carhartt rubber Ironwood outsole.*
- *OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 41.
- Imported.
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR



SD
STORM DEFENDER



FAST DRY LINING



INSITE FOOTBED




RUBBER OUTSOLE



HEEL KICKER



ELECTRICAL HAZARD



FT6002-W - Brown (Soft Toe)

MEDIUM 6-10, 11

Ironwood Waterproof 11" Wellington		
Brown	Alloy Toe Soft Toe	FT1502-W FT1002-W

FEATURES

- Oil tanned leather upper with abrasion resistant durable fabric.
- Storm Defender™ waterproof breathable membrane.
- Heel Kicker utility ledge for easy-off.
- Revolutionary light and high rebound PU midsole with Insite® Footbed.
- Non-mutilating.
- Nylon shank.
- Cement constructed with Carhartt rubber Ironwood outsole.*
- *OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 41.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR



SD
STORM DEFENDER



FAST DRY LINING



INSITE FOOTBED



RUBBER OUTSOLE



HEEL KICKER



ELECTRICAL HAZARD



ALLOY TOE



FT1502-W - Brown (Alloy Toe)
FT1002-W - Brown (Soft Toe)

MEDIUM 6-10, 11

Rugged Flex® 6" Work Boot

Brown	Composite Toe	CWF5355
Black	Composite Toe	FF5361-W

FEATURES

- Oil tanned leather upper.
- FastDry™ technology lining wicks away sweat.
- EVA custom fit removable inserts.
- PU with foam cushion insoles.
- Fiberglass shank.
- Cement constructed with Carhartt rubber Rugged Flex® outsole.*
- *OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 58.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Slip Resistant ASTM F3445-21 SR



RUGGED FLEX



FASTDRY LINING



CUSHION COMFORT INSOLE



RUBBER HEEL



RUBBER OUTSOLE



ELECTRICAL HAZARD



COMPOSITE TOE



CWF5355 - Brown (Composite Toe)



FF5361-W - Black (Composite Toe)

MEDIUM/WIDE 6-10, 11

MULTI-FIT



A man in a blue shirt and grey work pants is working on a lathe in a workshop. The man is leaning over the machine, and his pants are the focus of the advertisement. The background is a blurred workshop with various tools and equipment.

MEN'S

ENGINEERED FOR EVERYTHING YOU DO

- Keeps you protected
- Keeps you comfortable
- Keeps you moving



FARM AND RANCH



WORK



FIT FOR THE NEXT FRONTIER



FIT AND COMFORT FOOTBEDS

Comfort Redefined. Insite® Footbeds are designed to provide arch support and high rebound cushion for all-day comfort

INNOVATIVE MATERIALS

Tetrapod Technology
Unique tetrapod design disperses compression in multiple directions.

Pulsion Energy Rebound Foam With Single Density PU Foam
Engineered compression set with Pulsion rebound foam for maximum cushion comfort in each step.



BUILT WITH INSITE®

Carhartt footbeds with Insite® uses an ergonomic shape based on 120,000 foot scans for fit, form, and comfort that lasts as long as your day.

Insite® Footbeds
CM19000

SIZES 8, 9, 10, 11, 12, 13, 14, 15



CARHARTT LWD MIDSOLE

Revolutionary lightweight, durable compound that provides high rebound and all-day comfort.





CARHARTT HEEL KICKER

Heel kicker utility ledge for easy removal of boots.



HASLETT + DETROIT

COMFORT THAT KEEPS YOU MOVING

- Carhartt LWD Lightweight Durable midsole
- Carhartt with Insite® footbeds feel like a custom orthotic in your shoe
- FastDry™ technology lining wicks away sweat

PERFORMANCE CHART FOR HASLETT STYLE ONLY

ENVIRONMENT	GOOD	BETTER	BEST
OIL RESISTANCE	●		
CHEMICAL RESISTANCE	●		
ABRASION RESISTANCE		●	
HEAT RESISTANCE	●		
SLIP RESISTANCE		●	

Performance chart is suggested for the intended environment.



NEW Haslett Moc Toe Canvas Chukka

Brown	Soft Toe	FS4084-M
Coyote	Soft Toe	FS4063-M
Black	Soft Toe	FS4061-M

FEATURES

- Lightweight durable canvas upper.
- FastDry™ technology lining wicks away sweat.
- Carhartt LWD Lightweight Durable midsole with Insite® footbed.
- Non-mutilating and non-metallic.
- Nylon shank.
- Cement construction with Carhartt rubber Haslett outsole.
- Imported.
- Soft Toe ASTM F2892-18 SD35
- Slip Resistant ASTM F3445-21 SR



MIDSOLE



FASTDRY LINING



INSITE FOOTBED



RUBBER OUTSOLE



ESD
STATIC DISSIPATIVE



FS4084-M - Brown (Soft Toe)



FS4063-M - Coyote (Soft Toe)



FS4061-M - Black (Soft Toe)

MEDIUM 8-12, 13, 14

NEW Detroit Leather Sneaker

White	Soft Toe	FC2120-M
Brown	Soft Toe	FC2134-M
Medium Grey	Soft Toe	FC2123-M
Black	Soft Toe	FC2131-M

FEATURES

- Leather upper.
- FastDry™ technology lining wicks away sweat.
- Carhartt LWD Lightweight Durable midsole with Insite® footbed.
- Non-mutilating and non-metallic.
- Nylon shank.
- Cement construction with Carhartt rubber Detroit outsole.
- Imported.
- Soft Toe ASTM F2892-18 SD 35.
- Slip Resistant ASTM F3445-21 SR



MIDSOLE



FASTDRY LINING



INSITE FOOTBED



RUBBER OUTSOLE



ELECTRICAL HAZARD



FC2120-M - White (Soft Toe)



FC2134-M - Brown (Soft Toe)



FC2123-M - Medium Grey (Soft Toe)



FC2131-M - Black (Soft Toe)

MEDIUM 7-12, 13, 14



SNEAKER PERFORMANCE TO ACCELERATE YOU THROUGH THE WORK DAY

- Carhartt LWD Lightweight Durable midsole
- Nano composite safety toe styles for lightweight protection
- Carhartt with Insite® footbeds feel like a custom orthotic in your boot

ENVIRONMENT	GOOD	BETTER	BEST
OIL RESISTANCE		●	
CHEMICAL RESISTANCE		●	
ABRASION RESISTANCE		●	
HEAT RESISTANCE		●	
SLIP RESISTANCE			●

Performance chart is suggested for the intended environment.



Force EH Work Sneaker

Grey	Nano Toe	FA3402-M
Navy	Nano Toe	FA3404-M
Black	Nano Toe	FA3401-M
Black/White	Nano Toe	FA3403-M

FEATURES

- Lightweight knit upper with reflective safety details and abrasion resistant heel and toe.
- FastDry™ technology lining wicks away sweat.
- Carhartt LWD Lightweight Durable midsole with Insite® footbed.
- Non-mutilating and non-metallic.
- Nylon shank.
- Cement construction with Carhartt Force® rubber outsole.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Slip Resistant ASTM F3445-21 SR



FORCE



MIDSOLE



FASTDRY LINING



INSITE FOOTBED



RUBBER OUTSOLE



ELECTRICAL HAZARD



NANO TOE



FA3402-M - Grey (Nano Toe)



FA3404-M - Navy (Nano Toe)



FA3401-M - Black (Nano Toe)



FA3403-M - Black/White (Nano Toe)

MEDIUM 7-12, 13, 14

WIDE 7-12, 13, 14, 15

Force ESD Sneaker

Grey	Soft Toe	FA3002-M
Black	Soft Toe	FA3001-M
Black/White	Soft Toe	FA3003-M

FEATURES

- Lightweight knit upper with reflective safety details and abrasion resistant heel and toe.
- FastDry™ technology lining wicks away sweat.
- Carhartt LWD Lightweight Durable midsole with Insite® footbed.
- Non-mutilating and non-metallic.
- Nylon shank.
- Cement construction with Carhartt Force® rubber outsole.
- Imported.
- Soft Toe ASTM F2892-18 SD 35
- Slip Resistant ASTM F3445-21 SR



FORCE



MIDSOLE



FASTDRY LINING



INSITE FOOTBED



RUBBER OUTSOLE



STATIC DISSIPATIVE



FA3002-M - Grey (Soft Toe)



FA3003-M - Black (Soft Toe)



FA3003-M - Black/White (Soft Toe)

MEDIUM 7-12, 13, 14

WIDE 7-12, 13, 14, 15

Force ESD Work Sneaker		
Black	Nano Toe	CMD3461
FEATURES <ul style="list-style-type: none"> • Lightweight knit upper with grey lycra stretch collar and abrasion resistant heel and toe. • FastDry™ technology lining wicks away sweat. • Carhartt LWD Lightweight Durable midsole with Insite® footbed. • Non-mutilating and non-metallic. • Nylon shank. • Cement construction with Carhartt Force® rubber outsole. • Imported. • Safety Toe ASTM F2413-18 SD 35 • Slip Resistant ASTM F3445-21 SR 		
 <p>CMD3461-Black (Nano Toe)</p>		
		
MEDIUM 8-12, 13, 14		WIDE 8-12, 13, 14, 15

Force Water Resistant Romeo Boot		
Brown	Soft Toe	FA4015-M
FEATURES <ul style="list-style-type: none"> • Oil tanned leather upper with stretch gore. • Rain Defender™ water resistant leather. • FastDry™ technology lining wicks away sweat. • Carhartt LWD Lightweight Durable midsole with Insite® footbed. • Non-mutilating and non-metallic. • Nylon shank. • Cement construction with Carhartt Force® rubber outsole. • Imported. • Soft Toe ASTM F2892-18 EH • Slip Resistant ASTM F3445-21 SR 		
 <p>FA4015-M-Brown (Soft Toe)</p>		
		
MEDIUM 8-12, 13, 14		WIDE 8-12, 13, 14, 15

Force Water Resistant Romeo Work Boot		
Black	Nano Toe Soft Toe	FA4414-M FA4014-M
FEATURES <ul style="list-style-type: none"> • Full grain leather upper with stretch gore. • Rain Defender™ water resistant leather. • FastDry™ technology lining wicks away sweat. • Carhartt LWD Lightweight Durable midsole with Insite® footbed. • Non-mutilating and non-metallic. • Nylon shank. • Cement construction with Carhartt Force® rubber outsole. • Imported. • Safety Toe ASTM F2413-18 EH • Soft Toe ASTM F2892-18 EH • Slip Resistant ASTM F3445-21 SR 		
 <p>FA4414-M-Black (Nano Toe) FA4014-M-Black (Soft Toe)</p>		
		
MEDIUM 7-12, 13, 14		WIDE 7-12, 13, 14, 15

Force Lightweight Sneaker Boot		
Black	Nano Toe Soft Toe	FA5441-M FA5041-M
FEATURES <ul style="list-style-type: none"> • High abrasion resistant 1200D material upper with leather. • FastDry™ technology lining wicks away sweat. • Carhartt LWD Lightweight Durable midsole with Insite® footbed. • Nylon shank. • Cement construction with Carhartt Force® rubber outsole. • Imported. • Safety Toe ASTM F2413-18 EH • Soft Toe ASTM F2892-18 EH • Slip Resistant ASTM F3445-21 SR 		
 <p>FA5441-M - Black (Nano Toe) FA5041-M - Black (Soft Toe)</p>		
		
MEDIUM 8-12, 13, 14		WIDE 8-12, 13, 14, 15

Force Lightweight Sneaker Boot		
Wheat	Soft Toe	FA5017-M
Coyote	Soft Toe	FA5016-M
FEATURES <ul style="list-style-type: none"> • Leather upper with high abrasion resistant 1200D material. • FastDry™ technology lining wicks away sweat. • Carhartt LWD Lightweight Durable midsole with Insite® footbed. • Nylon shank. • Cement construction with Carhartt Force® rubber outsole. • Imported. • Soft Toe ASTM F2892-18 EH • Slip Resistant ASTM F3445-21 SR 		
 <p>FA5017-M - Wheat (Soft Toe) FA5016-M - Coyote (Soft Toe)</p>		
		
MEDIUM 8-12, 13, 14		WIDE 8-12, 13, 14, 15

Force Lightweight Sneaker Boot		
Black	Nano Toe Soft Toe	FA5421-M FA5021-M
FEATURES <ul style="list-style-type: none"> • Full grain leather upper. • Rain Defender™ water resistant leather. • FastDry™ technology lining wicks away sweat. • Carhartt LWD Lightweight Durable midsole with Insite® footbed. • Non-mutilating and non-metallic. • Nylon shank. • Cement construction with Carhartt Force® rubber outsole. • Imported. • Safety Toe ASTM F2413-18 EH • Soft Toe ASTM F2892-18 EH • Slip Resistant ASTM F3445-21 SR 		
 <p>FA5421-M - Black (Nano Toe) FA5021-M - Black (Soft Toe)</p>		
		
MEDIUM 7-12, 13, 14		WIDE 7-12, 13, 14, 15

NEW Gilmore Low Ripstop

Grey	Nano Toe	FH2486-M
	Soft Toe	FH2086-M
Black	Nano Toe	FH2451-M

FEATURES

- Ripstop nylon upper with TPU wrapped mud guard.
- FastDry™ technology lining wicks away sweat.
- Carhartt LWD Lightweight Durable midsole with InSite® Footbed.
- Non-mutilating and non-metallic.
- Nylon shank.
- Cement constructed with Carhartt outdoor-ready rubber lug outsole.*
- *OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 10.
- Imported.
- Safety Toe ASTM F2413-18 SD 35
- Soft Toe ASTM F2892-18 SD 35
- Slip Resistant ASTM F3445-21 SR

MIDSOLE

FASTDRY LINING

INSITE FOOTBED

RUBBER OUTSOLE

ESD
STATIC DISSIPATIVE

NANO TOE

FH2486-M - Grey (Nano Toe)
FH2086-M - Grey (Soft Toe)

FH2451-M - Black (Nano Toe)

MEDIUM 7-12, 13, 14	WIDE 7-12, 13, 14, 15
----------------------------	------------------------------

Gilmore Waterproof Work Boot

Light Brown	Soft Toe	FH5052-M
Dark Brown	Alloy Toe	FH5550-M
	Soft Toe	FH5050-M
Black	Soft Toe	FH5051-M

FEATURES

- Oil tanned leather upper.
- Storm Defender™ waterproof breathable membrane.
- FastDry™ technology lining wicks away sweat.
- Abrasion resistant toe.
- Heel Kicker utility ledge for easy-off.
- Carhartt LWD Lightweight Durable midsole with InSite® Footbed.
- Nylon shank.
- Cement constructed with Carhartt outdoor-ready rubber lug outsole.*
- *OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 10.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR

STORM DEFENDER

MIDSOLE

FASTDRY LINING

INSITE FOOTBED

HEEL KICKER

ELECTRICAL HAZARD

ALLOY TOE

FH5052-M - Light Brown (Soft Toe)

FH5550-M - Dark Brown (Alloy Toe)
FH5050-M - Dark Brown (Soft Toe)

FH5051-M - Black (Soft Toe)


MEDIUM 8-12, 13, 14	WIDE 8-12, 13, 14, 15
----------------------------	------------------------------

Gilmore Waterproof 6" Boot

Coyote	Soft Toe	FH6052-M
Black	Soft Toe	FH6051-M

FEATURES

- Helcor® and nubuck leather upper with abrasion resistant durable fabric.
- Storm Defender™ waterproof breathable membrane.
- FastDry™ technology lining wicks away sweat.
- Abrasion resistant toe.
- Heel Kicker utility ledge for easy-off.
- Carhartt LWD Lightweight Durable midsole with Insite® footbed.
- Nylon shank.
- Cement construction with Carhartt outdoor-ready rubber lug outsole.*
- *OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 10.
- Imported.
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR



FH6052-M - Coyote (Soft Toe)



FH6051-M - Black (Soft Toe)

MEDIUM 8-12, 13, 14


WIDE 8-12, 13, 14, 15

Gilmore Waterproof 8" Side Zip Boot

Coyote	Soft Toe	FH8022-M
Black	Nano Toe	FH8421-M
	Soft Toe	FH8021-M

FEATURES

- Leather upper with high abrasion resistant 1200D material.
- Storm Defender™ waterproof breathable membrane.
- FastDry™ technology lining wicks away sweat.
- YKK side zipper with auto-lock function.
- Carhartt LWD Lightweight Durable midsole with Insite® footbed.
- Non-mutilating.
- Nylon shank.
- Cement construction with Carhartt outdoor-ready rubber lug outsole.*
- *OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 10.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR



FH8022-M - Coyote (Soft Toe)



FH8421-M - Black (Nano Toe)
FH8021-M - Black (Soft Toe)

MEDIUM 7-12, 13, 14

WIDE 7-12, 13, 14, 15



OUTDOOR

HYBRID WORK BOOTS FOR ULTIMATE VERSATILITY

- Storm Defender™ waterproof keeps feet dry but lets them breathe
- Alloy safety toe is made from blended metal and aluminum resulting in a thin, lightweight safety toe for strength and protection
- Carhartt LWD lightweight durable midsole with Insite® footbed

Outdoor Waterproof Boot

Dark Brown	Alloy Toe	FH5520-M
	Soft Toe	FH5020-M

FEATURES

- Nubuck leather upper with high abrasion resistant 1260D material.
- Storm Defender™ waterproof breathable membrane.
- Reflective laces and heel pull-on tab.
- Carhartt LWD Lightweight Durable midsole with Insite® footbed.
- Nylon shank.
- Cement construction with Carhartt outdoor-ready rubber lug outsole.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR



FH5520-M - Dark Brown (Alloy Toe)
FH5020-M - Dark Brown (Soft Toe)

MEDIUM 8-12, 13, 14

WIDE 8-12, 13, 14, 15

Outdoor Waterproof Work Shoe

Black	Alloy Toe	FH3521-M
	Soft Toe	FH3021-M

FEATURES

- Nubuck leather upper with high abrasion resistant 1260D material.
- Storm Defender™ waterproof breathable membrane.
- Reflective laces and heel pull-on tab.
- Carhartt LWD Lightweight Durable midsole with Insite® footbed.
- Nylon shank.
- Cement construction with Carhartt outdoor-ready rubber lug outsole.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR



FH3521-M - Black (Alloy Toe)
FH3021-M - Black (Soft Toe)

MEDIUM 8-12, 13, 14

WIDE 8-12, 13, 14, 15



OUTDOOR TRAIL

ENHANCED TRACTION FOR THE ROAD LESS TRAVELED

- Storm Defender™ waterproof keeps feet dry but lets them breathe
- Vibram Arctic Grip outsole provides exceptional performance with grip and traction in wet and icy conditions*

*VIBRAM ARCTIC GRIP IS NOT INTENDED FOR INDOOR USE

- Carhartt LWD lightweight durable midsole with Insite® footbed

Outdoor Hike Waterproof 6" Boot

Coyote	Soft Toe	FP5072-M
Black	Soft Toe	FP5071-M

FEATURES

- Nubuck leather upper with high abrasion resistant 1260D material.
- Storm Defender™ waterproof breathable membrane.
- Heel Kicker utility ledge for easy-off.
- Not intended for indoor use.
- Reflective laces and heel pull-on tab.
- Carhartt LWD Lightweight Durable midsole with Insite® footbed.
- Nylon shank.
- Cement construction with Vibram Arctic Grip outsole for superior traction in wet and on ice.
- Imported.
- Soft Toe ASTM F2892-18 EH



FP5072-M - Coyote (Soft Toe)



FP5071-M - Black (Soft Toe)

MEDIUM 8-12, 13, 14



A photograph of two men in a wooded area. The man on the left is wearing a brown beanie, a plaid jacket over a grey t-shirt, and dark pants. He is leaning over a large, weathered log. The man on the right is wearing a maroon long-sleeved shirt and is also leaning over the log, appearing to be working with it. The background shows bare trees and a clear sky, suggesting an outdoor setting. The overall tone is rugged and outdoorsy.

MILLBROOK

LIGHTWEIGHT DURABILITY MEETS ALL-DAY VERSATILITY

- Enhanced comfort with Carhartt LWD midsole
- Insite® Footbeds for targeted arch support
- Full ground contact rubber outsole



CARHARTT MILLBROOK OUTSOLE

PROVIDES MAXIMUM SURFACE CONTACT

CARHARTT LWD MIDSOLE

ENHANCED LIGHTWEIGHT COMFORT & DURABILITY

SHALLOW LUGS

RELEASE MUD AND DIRT

ENVIRONMENT	GOOD	BETTER	BEST
OIL RESISTANCE		●	
CHEMICAL RESISTANCE		●	
ABRASION RESISTANCE			●
HEAT RESISTANCE		●	
SLIP RESISTANCE		●	

Performance chart is suggested for the intended environment.

NEW Millbrook Moc Toe Wedge Boot

Coyote	Steel Toe Soft Toe	FM5212-M FM5012-M
Brown	Steel Toe Soft Toe	FM5210-M FM5010-M

FEATURES

- Durable leather upper.
- FastDry™ technology lining wicks away sweat.
- Carhartt LWD Lightweight Durable midsole with Insite® footbed.
- Nylon shank.
- Cement construction with Carhartt rubber Millbrook outsole.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR

MIDSOLE

FASTDRY LINING

INSITE FOOTBED

RUBBER OUTSOLE

ELECTRICAL HAZARD

STEEL TOE

FM5212-M - Coyote (Steel Toe)
FM5012-M - Coyote (Soft Toe)

FM5210-M - Brown (Steel Toe)
FM5010-M - Brown (Soft Toe)

MEDIUM 7-12, 13, 14	WIDE 7-12, 13, 14, 15
----------------------------	------------------------------

Millbrook Waterproof Wedge Boot

Coyote	Soft Toe	FM5000-M
Brown	Steel Toe	FM5204-M
	Soft Toe	FM5004-M
Black	Steel Toe	FM5201-M

FEATURES

- Durable leather upper.
- Storm Defender™ waterproof breathable membrane.
- FastDry™ technology lining wicks away sweat.
- Carhartt LWD Lightweight Durable midsole with Insite® footbed.
- Nylon shank.
- Cement construction with Carhartt rubber Millbrook outsole.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR

STORM DEFENDER

MIDSOLE

FASTDRY LINING

INSITE FOOTBED

RUBBER OUTSOLE

ELECTRICAL HAZARD

STEEL TOE

FM5000-M - Coyote (Soft Toe)

FM5204-M - Brown (Steel Toe)
FM5004-M - Brown (Soft Toe)

FM5201-M - Black (Steel Toe)

MEDIUM 7-12, 13, 14	WIDE 7-12, 13, 14, 15
----------------------------	------------------------------

Millbrook Water Resistant Romeo Wedge Boot

Brown	Steel Toe	FM4200-M
	Soft Toe	FM4000-M

FEATURES

- Oil tanned leather upper with stretch gore.
- Rain Defender™ water resistant leather.
- FastDry™ technology lining wicks away sweat.
- Carhartt LWD Lightweight Durable midsole with Insite® footbed.
- Non-mutilating.
- Nylon shank.
- Cement construction with Carhartt rubber Millbrook outsole.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR



FM4200-M - Brown (Steel Toe)
FM4000-M - Brown (Soft Toe)

MEDIUM 7-12, 13, 14

WIDE 7-12, 13, 14, 15



WEDGE BOOTS

ALL DAY COMFORT AND VERSATILITY ROOTED IN ICONIC CRAFTSMANSHIP

- Storm Defender™ waterproof styles keeps feet dry but lets them breathe
- FastDry™ technology lining wicks away sweat
- Cushion comfort foam footbeds for all day comfort

ENVIRONMENT	GOOD	BETTER	BEST
OIL RESISTANCE		●	
CHEMICAL RESISTANCE		●	
ABRASION RESISTANCE		●	
HEAT RESISTANCE		●	
SLIP RESISTANCE		●	

Performance chart is suggested for the intended environment.




Waterproof 10" Wellington Wedge Boot

Brown	Steel Toe Soft Toe	FW1232-M FW1032-M
Dark Brown/ Nicotine Outsole	Steel Toe	FW1230-M

FEATURES

- Oil tanned leather upper with abrasion resistant durable fabric.
- Storm Defender™ waterproof breathable membrane.
- FastDry™ technology lining wicks away sweat.
- PU strobrel pad with PU cushion insoles.
- Non-mutilating.
- Steel shank.
- Welt construction with dual density Carhartt rubber outsole.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR



FW1232-M - Brown (Steel Toe)
FW1032-M - Brown (Soft Toe)



FW1230-M - Dark Brown/Nicotine Outsole (Steel Toe)

MEDIUM 8-12, 13, 14


WIDE 8-12, 13, 14, 15

Waterproof 8" Moc Toe Wedge Boot

Red Brown	Steel Toe	FW8275-M
Dark Brown	Soft Toe	FW8095-M
Dark Brown	Soft Toe	FW8093-M

FEATURES

- Oil tanned leather upper.
- Storm Defender™ waterproof breathable membrane.
- FastDry™ technology lining wicks away sweat.
- PU strobrel pad with PU cushion insoles.
- Steel shank.
- Welt construction with dual density Carhartt rubber outsole.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR



FW8275-M - Red Brown (Steel Toe)



FW8095-M - Dark Brown (Soft Toe)



FW8093-M - Dark Brown (Soft Toe)

MEDIUM 8-12, 13, 14

WIDE 8-12, 13, 14, 15

Waterproof 6" Moc Toe Wedge Boot		
Red Brown	Steel Toe	CMW6275
	Soft Toe	CMW6175
Dark Brown	Steel Toe	CMW6295
	Soft Toe	CMW6095
Black	Soft Toe	CMW6191

FEATURES

- Oil tanned leather upper.
- Storm Defender™ waterproof breathable membrane.
- FastDry™ technology lining wicks away sweat.
- PU strobrel pad with PU cushion insoles.
- Steel shank.
- Welt construction with dual density Carhartt rubber outsole.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR

SD
STORM DEFENDER

FASTDRY LINING

CUSHION COMFORT INSOLE

RUBBER OUTSOLE

ELECTRICAL HAZARD

STEEL TOE

CMW6275 - Red Brown (Steel Toe)
CMW6175 - Red Brown (Soft Toe)

CMW6295 - Dark Brown (Steel Toe)
CMW6095 - Dark Brown (Soft Toe)

CMW6191 - Black (Soft Toe)

MEDIUM 7-12, 13, 14 (DARK BROWN + BLACK)	WIDE 7-12, 13, 14, 15 (DARK BROWN + BLACK)
MEDIUM 8-12, 13, 14 (RED BROWN)	WIDE 8-12, 13, 14, 15 (RED BROWN)

6" Moc Toe Wedge Boot		
Coyote	Soft Toe	FW6077-M
Grey	Soft Toe	FW6082-M

FEATURES

- Nubuck leather upper.
- FastDry™ technology lining wicks away sweat.
- PU strobrel pad with PU cushion insoles.
- Steel shank.
- Welt construction with dual density Carhartt rubber outsole.
- Imported.
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR

FASTDRY LINING

CUSHION COMFORT INSOLE

RUBBER OUTSOLE

ELECTRICAL HAZARD

FW6082-M - Grey (Soft Toe)

FW6077-M - Coyote (Soft Toe)

MEDIUM 8-12, 13, 14	WIDE 8-12, 13, 14, 15
----------------------------	------------------------------

6" Fabric and Leather Moc Toe Wedge Boot		
Brown	Soft Toe	FW6035-M
FEATURES <ul style="list-style-type: none"> • Oil tanned leather upper with high abrasion resistant 1200D material. • FastDry™ technology lining wicks away sweat. • PU strobrel pad with Insite® footbed. • Steel shank. • Welt construction with dual density Carhartt rubber outsole. • Imported. • Soft Toe ASTM F2892-18 EH • Slip Resistant ASTM F3445-21 SR 		
 <p>FW6035-M - Brown (Soft Toe)</p>		
   		
MEDIUM 8-12, 13, 14		WIDE 8-12, 13, 14, 15

Chelsea Wedge Boot		
Dark Brown	Steel Toe Soft Toe	FW5233-M FW5033-M
FEATURES <ul style="list-style-type: none"> • Oil tanned leather upper with stretch gore. • FastDry™ technology lining wicks away sweat. • PU strobrel pad with Insite® footbed. • Non-mutilating. • Steel shank. • Welt construction with dual density Carhartt rubber outsole. • Imported. • Safety Toe ASTM F2413-18 EH • Soft Toe ASTM F2892-18 EH • Slip Resistant ASTM F3445-21 SR 		
 <p>FW5233-M - Dark Brown (Steel Toe) FW5033-M - Dark Brown (Soft Toe)</p>		
    		
MEDIUM 8-12, 13, 14		WIDE 8-12, 13, 14, 15

Lightweight Wedge Moc Toe Chukka		
Brown	Soft Toe	CMX4023
FEATURES <ul style="list-style-type: none"> • Oil tanned leather upper. • FastDry™ technology lining wicks away sweat. • PU with foam cushion insoles. • Nylon shank. • Cement constructed with Carhartt rubber outsole and CMEVA midsole. • Imported. • Slip Resistant ASTM F3445-21 SR 		
 <p>CMX4023 - Brown (Soft Toe)</p>		
  		
MEDIUM 8-12, 13, 14		WIDE 8-12, 13, 14, 15

MONTANA

AUTHENTIC CRAFTSMANSHIP BUILT FOR THE FRONTIER

- Storm Defender™ waterproof styles to keep your feet warm and dry
- Heel Kicker utility ledge for easy removal of boots
- Carhartt with Insite® footbeds feel like a custom orthotic in your boot



DURABLE RUBBER OUTSOLE

TRACTION IN ANYTHING THE WEATHER THROWS AT YOU

ENVIRONMENT	GOOD	BETTER	BEST
OIL RESISTANCE		●	
CHEMICAL RESISTANCE		●	
ABRASION RESISTANCE			●
HEAT RESISTANCE		●	
SLIP RESISTANCE		●	

Performance chart is suggested for the intended environment.




NEW Montana Water Resistant 11" Square Toe Wellington

Brown/Brown	Steel Toe	FQ1284-M
	Soft Toe	FQ1084-M

FEATURES

- Oil tanned leather and abrasion resistant durable fabric.
- Rain Defender™ water resistant leather.
- FastDry™ technology lining wicks away sweat.
- Heel Kicker utility ledge for easy-off.
- EVA midsole with Insite® Footbed.
- Non-mutilating.
- Fiberglass shank.
- Cement constructed with Carhartt rubber outsole.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR



FQ1284-M - Brown/Brown (Steel Toe)
FQ1084-M - Brown/Brown (Soft Toe)

MEDIUM 7-12, 13, 14

WIDE 7-12, 13, 14, 15

NEW Montana Waterproof 11" Square Toe Wellington

Brown/Burnt Olive	Steel Toe	FQ1265-M
	Soft Toe	FQ1065-M

Dark Chocolate / Red Brown	Steel Toe	FQ1275-M
----------------------------	-----------	----------

FEATURES

- Oil tanned leather upper.
- Storm Defender™ waterproof breathable membrane.
- FastDry™ technology lining wicks away sweat.
- Heel Kicker utility ledge for easy-off.
- EVA midsole with Insite® Footbed.
- Non-mutilating.
- Fiberglass shank.
- Cement constructed with Carhartt rubber outsole.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR



FQ1265-M - Brown/Burnt Olive (Steel Toe)
FQ1065-M - Brown/Burnt Olive (Soft Toe)



FQ1275-M - Dark Chocolate/Red Brown (Steel Toe)

MEDIUM 7-12, 13, 14

WIDE 7-12, 13, 14, 15

IRONWOOD WORK BOOTS

BUILT FOR HEAVY-DUTY JOBS THAT DEMAND HEAVY-DUTY COMFORT

- Storm Defender™ waterproof and insulated styles to keep your feet warm and dry
- Heel Kicker utility ledge for easy removal of boots
- Carhartt with Insite® footbeds feel like a custom orthotic in your boot

ENVIRONMENT	GOOD	BETTER	BEST
OIL RESISTANCE		●	
CHEMICAL RESISTANCE		●	
ABRASION RESISTANCE			●
HEAT RESISTANCE			●
SLIP RESISTANCE			●

Performance chart is suggested for the intended environment.




Ironwood Waterproof 11" Wellington

Brown	Alloy Toe Soft Toe	FT1500-M FT1000-M
-------	-----------------------	----------------------

FEATURES

- Oil tanned leather upper with abrasion resistant durable fabric.
- Storm Defender™ waterproof breathable membrane.
- Heel Kicker utility ledge for easy-off.
- Revolutionary light and high rebound PU midsole with Insite® Footbed.
- Non-mutilating.
- Nylon shank.
- Cement constructed with Carhartt rubber Ironwood outsole.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR



FT1500-M - Brown (Alloy Toe)
FT1000-M - Brown (Soft Toe)

MEDIUM 8-12, 13, 14

WIDE 8-12, 13, 14, 15

Ironwood Waterproof Insulated 11" Wellington

Dark Brown/Black	Alloy Toe	FT1509-M
------------------	-----------	----------

FEATURES

- Oil tanned leather upper with PU coated Helcor® leather.
- Storm Defender™ waterproof breathable membrane and 400g LiteFire® insulation.
- Heel Kicker utility ledge for easy-off.
- Revolutionary light and high rebound PU midsole with Insite® Footbed.
- Non-mutilating.
- Nylon shank.
- Cement constructed with Carhartt rubber Ironwood outsole.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Slip Resistant ASTM F3445-21 SR



FT1509-M - Dark Brown/Black (Alloy Toe)

MEDIUM 8-12, 13, 14

WIDE 8-12, 13, 14, 15

Ironwood Waterproof 8" Work Boot		
Brown	Alloy Toe	FT8500-M
	Soft Toe	FT8000-M
Dark Brown/Mossy Oak	Soft Toe	FT8002-M

FEATURES

- Oil tanned leather upper with abrasion resistant durable fabric.
- Storm Defender™ waterproof breathable membrane.
- Heel Kicker utility ledge for easy-off.
- Revolutionary light and high rebound PU midsole with Insite® Footbed.
- Nylon shank.
- Cement constructed with Carhartt rubber Ironwood outsole.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR

STORM DEFENDER

FASTDRY LINING

INSITE FOOTBED

RUBBER OUTSOLE

HEEL KICKER

ELECTRICAL HAZARD

ALLOYTOE



FT8500-M - Brown (Alloy Toe)
FT8000-M - Brown (Soft Toe)



FT8002-M - Dark Brown/Mossy Oak (Soft Toe)

MEDIUM 8-12, 13, 14	WIDE 8-12, 13, 14, 15
----------------------------	------------------------------

Ironwood Waterproof Insulated 8" Work Boot		
Dark Brown/Black	Alloy Toe	FT8509-M

FEATURES

- Oil tanned leather upper with abrasion resistant durable fabric and PU coated Helcor® leather.
- Storm Defender™ waterproof breathable membrane and 400g LiteFire® insulation.
- Heel Kicker utility ledge for easy-off.
- Revolutionary light and high rebound PU midsole with Insite® Footbed.
- Nylon shank.
- Cement constructed with Carhartt rubber Ironwood outsole.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Slip Resistant ASTM F3445-21 SR

STORM DEFENDER

LITEFIRE

FASTDRY LINING

INSITE FOOTBED

RUBBER OUTSOLE

HEEL KICKER

ELECTRICAL HAZARD

HELCOR LEADER-TEC

ALLOYTOE



FT8509-M - Brown (Alloy Toe)

MEDIUM 8-12, 13, 14	WIDE 8-12, 13, 14, 15
----------------------------	------------------------------

Ironwood Waterproof 6" Work Boot

Brown	Alloy Toe	FT6500-M
	Soft Toe	FT6000-M
Black	Steel Toe	FT6501-M
	Soft Toe	FT6001-M

FEATURES

- Oil tanned leather upper.
- Storm Defender™ waterproof breathable membrane.
- Heel Kicker utility ledge for easy-off.
- Revolutionary light and high rebound PU midsole with Insite® Footbed.
- Nylon shank.
- Cement constructed with Carhartt rubber Ironwood outsole.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR



FT6500-M - Brown (Alloy Toe)
FT6000-M - Brown (Soft Toe)



FT6501-M - Black (Alloy Toe)
FT6001-M - Black (Soft Toe)

MEDIUM 8-12, 13, 14

WIDE 8-12, 13, 14, 15

Ironwood 6" Work Boot

Brown	Soft Toe	FT6010-M
-------	----------	----------

FEATURES

- Oil tanned leather upper with abrasion resistant durable fabric.
- Heel Kicker utility ledge for easy-off.
- Revolutionary light and high rebound PU midsole with Insite® Footbed.
- Nylon shank.
- Cement constructed with Carhartt rubber Ironwood outsole.
- Imported.
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR



FT6010-M - Brown (Soft Toe)

MEDIUM 8-12, 13, 14

WIDE 8-12, 13, 14, 15



CLASSIC WELT BOOTS

TOUGH JOBS CALL FOR TOUGH BOOTS

ENVIRONMENT	GOOD	BETTER	BEST
OIL RESISTANCE		●	
CHEMICAL RESISTANCE		●	
ABRASION RESISTANCE			●
HEAT RESISTANCE		●	
SLIP RESISTANCE		●	

Performance chart is suggested for the intended environment.



Waterproof 10" Pull-On Boot		
Brown	Nano Toe	CMP1453
FEATURES <ul style="list-style-type: none"> • Oil tanned leather and suede upper. • Storm Defender™ waterproof breathable membrane. • FastDry™ technology lining wicks away sweat. • PU strobrel pad with Insite® footbed. • Steel shank. • Welt construction with Carhartt rubber outsole. • Imported. • Safety Toe ASTM F2413-18 EH • Slip Resistant ASTM F3445-21 SR 		
 <p>CMP1453 - Brown (Nano Toe)</p>		
		
MEDIUM 8-12, 13, 14		WIDE 8-12, 13, 14, 15

Waterproof 6" Moc Toe Work Boot		
Dark Brown	Soft Toe	CMW6197
FEATURES <ul style="list-style-type: none"> • Oil tanned leather upper. • Storm Defender™ waterproof breathable membrane. • FastDry™ technology lining wicks away sweat. • PU strobrel pad with PU cushion insoles. • Steel shank. • Welt construction with Carhartt rubber outsole. • Imported. • Soft Toe ASTM F2892-18 EH • Slip Resistant ASTM F3445-21 SR 		
 <p>CMW6197 - Dark Brown (Soft Toe)</p>		
		
MEDIUM 8-12, 13, 14		WIDE 8-12, 13, 14, 15

6" Steel Toe Work Boot		
Brown	Steel Toe Soft Toe	CMW6274 CMW6174
FEATURES <ul style="list-style-type: none"> • Oil tanned leather upper. • FastDry™ technology lining wicks away sweat. • PU strobrel pad with PU cushion insoles. • Steel shank. • Welt construction with Carhartt rubber outsole. • Imported. • Safety Toe ASTM F2413-18 EH • Soft Toe ASTM F2892-18 EH • Slip Resistant ASTM F3445-21 SR 		
 <p>CMW6274 - Brown (Steel Toe) CMW6174 - Brown (Soft Toe)</p>		
		
MEDIUM 8-12, 13, 14		WIDE 8-12, 13, 14, 15



GROUND FORCE BOOTS

POWER THROUGH THE TOUGHEST JOBS WITH ELEVATED COMFORT AND HEAVY-DUTY PROTECTION

- Carhartt with Insite® footbeds feel like a custom orthotic in your boot
- Storm Defender™ waterproof and insulated styles keep your feet warm and dry
- FastDry™ technology lining wicks away sweat

Ground Force Waterproof 10" Pull On Work Boot

Red Brown Composite Toe CME1355

FEATURES

- Oil tanned leather upper with abrasion resistant durable fabric.
- Storm Defender™ waterproof breathable membrane.
- Molded rubber toe bumper with abrasion resistant rubber heel.
- Received the APMA Seal of Acceptance.
- Carhartt LWD Lightweight Durable midsole with Insite® footbed.
- Nylon shank.
- Cement constructed with Carhartt rubber Ground Force outsole.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Slip Resistant ASTM F3445-21 SR



CME1355 - Red Brown (Composite Toe)

MEDIUM 8-12, 13, 14

WIDE 8-12, 13, 14, 15

Ground Force Waterproof 8" Work Boot

Red Brown Composite Toe CME8355

FEATURES

- Oil tanned leather upper.
- Storm Defender™ waterproof breathable membrane.
- Molded rubber toe bumper with abrasion resistant rubber heel.
- Received the APMA Seal of Acceptance.
- Carhartt LWD Lightweight Durable midsole with Insite® footbed.
- Nylon shank.
- Cement constructed with Carhartt rubber Ground Force outsole.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Slip Resistant ASTM F3445-21 SR



CME8355 - Red Brown (Composite Toe)

MEDIUM 8-12, 13, 14

WIDE 8-12, 13, 14, 15

Ground Force Waterproof Insulated 8" Work Boot																		
Brown	Soft Toe	CME8047																
<p>FEATURES</p> <ul style="list-style-type: none"> • Oil tanned leather upper. • Storm Defender™ waterproof breathable membrane and 600g 3M™ Thinsulate™ insulation. • Abrasion resistant rubber heel. • Received the APMA Seal of Acceptance. • Carhartt LWD Lightweight Durable midsole with Insite® footbed. • Nylon shank. • Cement constructed with Carhartt rubber Ground Force outsole. • Imported. • Soft Toe ASTM F2892-18 EH • Slip Resistant ASTM F3445-21 SR 																		
<table border="0"> <tr> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>STORM DEFENDER</td> <td>MIDSOLE</td> <td>FAST DRY LINING</td> <td>INSULATED</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>INSITE FOOTBED</td> <td>RUBBER OUTSOLE</td> <td>RUBBER HEEL</td> <td>ELECTRICAL HAZARD</td> </tr> </table>							STORM DEFENDER	MIDSOLE	FAST DRY LINING	INSULATED					INSITE FOOTBED	RUBBER OUTSOLE	RUBBER HEEL	ELECTRICAL HAZARD
STORM DEFENDER	MIDSOLE	FAST DRY LINING	INSULATED															
INSITE FOOTBED	RUBBER OUTSOLE	RUBBER HEEL	ELECTRICAL HAZARD															



CME8047 - Brown (Soft Toe)

MEDIUM 8-12, 13, 14

WIDE 8-12, 13, 14, 15

Ground Force Waterproof 6" Work Boot																		
Red Brown	Composite Toe	CME6355																
Black	Composite Toe	CME6351																
<p>FEATURES</p> <ul style="list-style-type: none"> • Oil tanned leather upper. • Storm Defender™ waterproof breathable membrane. • Molded rubber toe bumper with abrasion resistant rubber heel. • Received the APMA Seal of Acceptance. • Carhartt LWD Lightweight Durable midsole with Insite® footbed. • Nylon shank. • Cement constructed with Carhartt rubber Ground Force outsole. • Imported. • Safety Toe ASTM F2413-18 EH • Slip Resistant ASTM F3445-21 SR 																		
<table border="0"> <tr> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>STORM DEFENDER</td> <td>MIDSOLE</td> <td>FAST DRY LINING</td> <td>INSITE FOOTBED</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>RUBBER OUTSOLE</td> <td>RUBBER TOE AND HEEL</td> <td>ELECTRICAL HAZARD</td> <td>COMPOSITE TOE</td> </tr> </table>							STORM DEFENDER	MIDSOLE	FAST DRY LINING	INSITE FOOTBED					RUBBER OUTSOLE	RUBBER TOE AND HEEL	ELECTRICAL HAZARD	COMPOSITE TOE
STORM DEFENDER	MIDSOLE	FAST DRY LINING	INSITE FOOTBED															
RUBBER OUTSOLE	RUBBER TOE AND HEEL	ELECTRICAL HAZARD	COMPOSITE TOE															



CME6355 - Red Brown (Composite Toe)



CME6351 - Black (Composite Toe)

MEDIUM 8-12, 13, 14

WIDE 8-12, 13, 14, 15

Ground Force Waterproof 6" Work Boot

Brown	Composite Toe	GME6347
	Soft Toe	GME6047

FEATURES

- Oil tanned leather upper.
- Storm Defender™ waterproof breathable membrane.
- Abrasion resistant rubber heel.
- Received the APMA Seal of Acceptance.
- Carhartt LWD Lightweight Durable midsole with Insite® footbed.
- Nylon shank.
- Cement constructed with Carhartt rubber Ground Force outsole.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR



GME6347 - Brown (Composite Toe)
GME6047 - Brown (Soft Toe)

MEDIUM 8-12, 13, 14

WIDE 8-12, 13, 14, 15



ENVIRONMENT	GOOD	BETTER	BEST
OIL RESISTANCE		●	
CHEMICAL RESISTANCE		●	
ABRASION RESISTANCE			●
HEAT RESISTANCE			●
SLIP RESISTANCE			●

Performance chart is suggested for the intended environment.



HERITAGE WORK BOOTS

WORK BOOTS BUILT WITH CARHARTT DNA

- Storm Defender™ waterproof and insulated styles to keep your feet warm and dry
- Supportive Heel Guard® stabilizes the foot inside the boot
- Cushion comfort foam footbeds for all day comfort



POLYURETHANE OUTSOLES

OIL, CHEMICAL, AND SLIP RESISTANT

SHALLOW LUGS

RELEASE MUD AND DIRT

LADDER LOCK GRIPS AND STEEL SHANKS

PERFECT BOOT FOR CLIMBING

ENVIRONMENT	GOOD	BETTER	BEST
OIL RESISTANCE			●
CHEMICAL RESISTANCE			●
ABRASION RESISTANCE		●	
SLIP RESISTANCE		●	

Performance chart is suggested for the intended environment. Polyurethane outsoles are not tested for heat resistance.

Waterproof 11" Wellington		
Brown	Steel Toe	CMP1200 CMP1100
<p>FEATURES</p> <ul style="list-style-type: none"> • Oil tanned leather upper with abrasion resistant durable fabric. • Storm Defender™ waterproof breathable membrane. • TPU Heel Guard® with achilles flex joint. • PU strobrel pad with PU cushion insoles. • Steel shank. • Direct attached welt construction with dual density PU Carhartt Heritage outsole. • Imported. • Safety Toe ASTM F2413-18 EH • Soft Toe ASTM F2892-18 EH • Slip Resistant ASTM F3445-21 SR 		
 <p>CMP1200 - Brown (Steel Toe) CMP1100 - Brown (Soft Toe)</p>		
		
MEDIUM 8-12, 13, 14		WIDE 8-12, 13, 14, 15

Waterproof 11" Wellington		
Dark Brown	Steel Toe	CMP1270
<p>FEATURES</p> <ul style="list-style-type: none"> • Oil tanned leather with abrasion resistant durable fabric and PU coated leather. • Storm Defender™ waterproof breathable membrane. • TPU Heel Guard® with achilles flex joint. • PU strobrel pad with PU cushion insoles. • Steel shank. • Direct attached welt construction with dual density PU Carhartt Heritage outsole. • Imported. • Safety Toe ASTM F2413-18 EH • Slip Resistant ASTM F3445-21 SR 		
 <p>CMP1270 - Dark Brown (Steel Toe)</p>		
		
MEDIUM 8-12, 13, 14		WIDE 8-12, 13, 14, 15

Waterproof Insulated 11" Wellington		
Dark Brown/Black	Steel Toe	CMP1259
<p>FEATURES</p> <ul style="list-style-type: none"> • Oil tanned leather with abrasion resistant durable fabric and PU coated leather. • Storm Defender™ waterproof breathable membrane and 400g LiteFire® insulation. • TPU Heel Guard® with achilles flex joint. • PU strobrel pad with PU cushion insoles. • Steel shank. • Direct attached welt construction with dual density PU Carhartt Heritage outsole. • Imported. • Safety Toe ASTM F2413-18 EH • Slip Resistant ASTM F3445-21 SR 		
 <p>CMP1259 - Dark Brown/Black (Steel Toe)</p>		
		
MEDIUM 8-12, 13, 14		WIDE 8-12, 13, 14, 15

Waterproof 8" Work Boot

Brown Steel Toe CMW8200

FEATURES

- Oil tanned leather upper.
- Storm Defender™ waterproof breathable membrane.
- TPU Heel Guard® with achilles flex joint.
- PU strobrel pad with PU cushion insoles.
- Steel shank.
- Direct attached welt construction with dual density PU Carhartt Heritage outsole.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Slip Resistant ASTM F3445-21 SR



CMW8200 - Brown (Steel Toe)

MEDIUM 8-12, 13, 14

WIDE 8-12, 13, 14, 15

Waterproof 6" Work Boot

Brown Steel Toe CMW6220

FEATURES

- Oil tanned leather upper.
- Storm Defender™ waterproof breathable membrane.
- TPU Heel Guard® with achilles flex joint.
- PU strobrel pad with PU cushion insoles.
- Steel shank.
- Direct attached welt construction with dual density PU Carhartt Heritage outsole.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Slip Resistant ASTM F3445-21 SR



CMW6220 - Brown (Steel Toe)

MEDIUM 8-12, 13, 14

WIDE 8-12, 13, 14, 15

KENTWOOD

TOUGH ENOUGH FOR ANY JOB

- Storm Defender™ waterproof styles to keep your feet warm and dry
- Cushion comfort foam footbeds for all day comfort
- Steel safety toe for protection

ENVIRONMENT	GOOD	BETTER	BEST
OIL RESISTANCE		●	
CHEMICAL RESISTANCE		●	
ABRASION RESISTANCE			●
HEAT RESISTANCE		●	
SLIP RESISTANCE		●	

Performance chart is suggested for the intended environment.




NEW Kentwood Waterproof 9" Wellington

Black Steel Toe FK9201-M

FEATURES

- PU coated high abrasion leather upper with stretch neoprene.
- Storm Defender™ waterproof breathable membrane.
- PU strobel pad with PU cushion insoles.
- Non-mutilating and non-metallic
- Fiberglass shank.
- Cement construction with Carhartt Kentwood rubber outsole.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Slip Resistant ASTM F3445-21 SR



FK9201-M - Black (Steel Toe)

MEDIUM 8-12, 13, 14

WIDE 8-12, 13, 14, 15

NEW Kentwood 6" Work Boot

Coyote Steel Toe FK7200-M

FEATURES

- Leather upper with 1200D abrasion resistant fabric upper.
- FastDry™ technology lining wicks away sweat.
- PU strobel pad with PU cushion insoles.
- Fiberglass shank.
- Cement construction with Carhartt Kentwood rubber outsole.
- Imported.
- Safety Toe ASTM F2413-18 EH,
- Slip Resistant ASTM F3445-21 SR



FK7200-M - Coyote (Steel Toe)

MEDIUM 8-12, 13, 14

WIDE 8-12, 13, 14, 15



RUGGED FLEX® BOOTS

DURABLE RUGGED BOOTS THAT LIVE UP TO THE CARHARTT NAME


- Storm Defender™ waterproof and insulated styles keep your feet warm and dry
- FastDry™ technology lining wicks away sweat
- Cushion comfort foam footbeds for all day comfort

Rugged Flex® Waterproof Insulated 8" Work Boot

Wheat	Soft Toe	CMF8058
Brown	Composite Toe	CMF8389

FEATURES

- Durable rugged leather upper.
- Storm Defender™ waterproof breathable membrane and 400g 3M™ Thinsulate™ insulation.
- FastDry™ technology lining wicks away sweat.
- Rubber toe and heel bumper.
- EVA midsole with PU strobel pad and PU with foam cushion insole.
- Fiberglass shank.
- Cement constructed with Carhartt rubber Rugged Flex® outsole.
- Imported.
- Soft Toe ASTM F2892-18 EH
- Safety Toe ASTM F2413-18 EH
- Slip Resistant ASTM F3445-21 SR



CMF8058 - Wheat (Soft Toe)



CMF8389 - Brown (Composite Toe)

MEDIUM 8-12, 13, 14

WIDE 8-12, 13, 14, 15



RUGGED FLEX® RUBBER OUTSOLE

HEAT, ABRASION AND SLIP RESISTANT

SHALLOW LUGS

RELEASE MUD AND DIRT

LADDER LOCK GRIPS

PERFECT BOOT FOR CLIMBING

ENVIRONMENT	GOOD	BETTER	BEST
OIL RESISTANCE			●
CHEMICAL RESISTANCE			●
ABRASION RESISTANCE		●	
HEAT RESISTANCE		●	
SLIP RESISTANCE		●	

Performance chart is suggested for the intended environment.

Rugged Flex® Waterproof 6" Work Boot

Wheat	Composite Toe	CMF6356
	Soft Toe	CMF6056
Brown	Composite Toe	CMF6380
Black	Composite Toe	CMF6371

FEATURES

- Durable rugged leather upper.
- Storm Defender™ waterproof breathable membrane.
- FastDry™ technology lining wicks away sweat.
- Rubber toe and heel bumper.
- EVA midsole with PU strobel pad and PU with foam cushion insole.
- Fiberglass shank.
- Cement constructed with Carhartt rubber Rugged Flex® outsole.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR

RUGGED FLEX

STORM DEFENDER

FASTDRY LINING

CUSHION COMFORT INSOLE

RUBBER OUTSOLE

RUBBER TOE AND HEEL

ELECTRICAL HAZARD

COMPOSITE TOE

CMF6356 - Wheat (Composite Toe)
CMF6056 - Wheat (Soft Toe)

CMF6380 - Brown (Composite Toe)

CMF6371 - Black (Composite Toe)

MEDIUM 8-12, 13, 14	WIDE 8-12, 13, 14, 15
----------------------------	------------------------------

Rugged Flex® 6" Work Boot

Brown	Composite Toe	CMF6366
	Soft Toe	CMF6066

FEATURES

- Oil tanned leather upper.
- FastDry™ technology lining wicks away sweat.
- EVA midsole with PU strobel pad.
- PU with foam cushion insoles.
- Fiberglass shank.
- Cement constructed with Carhartt rubber Rugged Flex® outsole.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR

RUGGED FLEX

FASTDRY LINING

CUSHION COMFORT INSOLE

RUBBER HEEL

RUBBER OUTSOLE

ELECTRICAL HAZARD

COMPOSITE TOE

CMF6366 - Brown (Composite Toe)
CMF6066 - Brown (Soft Toe)


MEDIUM 8-12, 13, 14	WIDE 8-12, 13, 14, 15
----------------------------	------------------------------

Rugged Flex® 6" Work Boot

Dark Brown Steel Toe CMF6284

FEATURES

- Leather upper with durable fabric.
- FastDry™ technology lining wicks away sweat.
- EVA midsole with PU strobel pad.
- PU with foam cushion comfort insoles.
- Fiberglass shank.
- Cement constructed with Carhartt rubber Rugged Flex® outsole.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Slip Resistant ASTM F3445-21 SR



CMF6284 - Dark Brown (Steel Toe)

MEDIUM 8-12, 13, 14

WIDE 8-12, 13, 14, 15

Rugged Flex® Waterproof 6" Work Boot

Dark Brown Steel Toe FF6213-M
Soft Toe FF6013-M

FEATURES


- Leather upper with durable fabric.
- Storm Defender™ waterproof breathable membrane.
- FastDry™ technology lining wicks away sweat.
- EVA midsole with PU strobel pad.
- PU with foam cushion comfort insoles.
- Fiberglass shank.
- Cement constructed with Carhartt rubber Rugged Flex® outsole.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR



FF6213-M - Brown (Steel Toe)
FF6013-M - Brown (Soft Toe)

MEDIUM 8-12, 13, 14

WIDE 8-12, 13, 14, 15



RUGGED FLEX® SQUARE TOE BOOTS

TOES OF STEEL FOR MEN OF METTLE

- Storm Defender™ waterproof style keeps feet dry but lets them breathe
- FastDry™ technology lining wicks away sweat
- Steel toe with room to move your toes

DURABLE RUBBER OUTSOLE

TRACTION IN ANYTHING THE WEATHER THROWS AT YOU

ENVIRONMENT	GOOD	BETTER	BEST
OIL RESISTANCE		●	
CHEMICAL RESISTANCE		●	
ABRASION RESISTANCE			●
HEAT RESISTANCE		●	
SLIP RESISTANCE		●	

Performance chart is suggested for the intended environment.




Rugged Flex® Square Toe 11" Wellington

Brown/Dark Brown Steel Toe CMP1218

FEATURES

- Oil tanned leather upper.
- FastDry™ technology lining wicks away sweat.
- PU strobel pad with PU cushion insoles.
- Non-mutilating.
- Fiberglass shank.
- Goodyear welt construction with Carhartt rubber outsole and CMEVA midsole.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Slip Resistant ASTM F3445-21 SR



CMP1218 - Brown/Dark Brown (Steel Toe)

MEDIUM 8-12, 13, 14

WIDE 8-12, 13, 14, 15

Rugged Flex® Square Toe Waterproof 11" Wellington

Brown/Black Steel Toe CMP1258

FEATURES

- Oil tanned leather upper with abrasion resistant durable fabric and PU coated leather.
- Storm Defender™ waterproof breathable membrane.
- PU strobel pad with PU cushion insoles.
- Non-mutilating.
- Fiberglass shank.
- Goodyear welt construction with Carhartt rubber outsole and CMEVA midsole.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Slip Resistant ASTM F3445-21 SR



CMP1258 - Brown/Black (Steel Toe)

MEDIUM 8-12, 13, 14

WIDE 8-12, 13, 14, 15

MET GUARD WORK BOOTS

PUT SAFETY FIRST WHEN IT COMES TO YOUR FEET

- Storm Defender™ waterproof keeps feet dry but lets them breathe
- Poron® XRD® internal met guard flexes with your foot and instantly “freezes” upon impact providing superior protection
- Cushion comfort foam footbeds for all day comfort

**PORON® XRD® INTERNAL
MET GUARD EXTREME
IMPACT PROTECTION**



Rugged Flex® Waterproof Met Guard 11" Wellington

Brown/Black Composite Toe CMF1721

FEATURES

- Oil tanned leather upper with PU coated leather.
- Storm Defender™ waterproof breathable membrane.
- Reflective high visibility piping.
- Poron® XRD® soft comfort internal metatarsal guard.
- Fiberglass shank.
- Cement constructed with Carhartt rubber Rugged Flex® outsole.*
- *OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 58.
- Imported.
- Safety Toe ASTM F2413-18 EH, MT
- Slip Resistant ASTM F3445-21 SR



CMF1721 - Brown/Black (Composite Toe)



MEDIUM 8-12, 13, 14

WIDE 8-12, 13, 14, 15

Rugged Flex® Waterproof Met Guard 8" Work Boot

Brown Composite Toe CMF8720

FEATURES

- Oil tanned leather upper.
- Storm Defender™ waterproof breathable membrane.
- Reflective high visibility piping.
- Poron® XRD® soft comfort internal metatarsal guard.
- Fiberglass shank.
- Cement constructed with Carhartt rubber Rugged Flex® outsole.*
- *OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 58.
- Imported.
- Safety Toe ASTM F2413-18 EH, MT
- Slip Resistant ASTM F3445-21 SR



CMF8720 - Brown (Composite Toe)



MEDIUM 8-12, 13, 14

WIDE 8-12, 13, 14, 15

Rugged Flex® Waterproof Met Guard 6" Work Boot

Brown Composite Toe CMF6720

FEATURES

- Oil tanned leather.
- Storm Defender™ waterproof breathable membrane.
- Reflective high visibility piping.
- Poron® XRD® soft comfort internal metatarsal guard.
- Fiberglass shank.
- Cement constructed with Carhartt rubber Rugged Flex® outsole.*
- *OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 58.
- Imported.
- Safety Toe ASTM F2413-18 EH, MT
- Slip Resistant ASTM F3445-21 SR



CMF6720 - Brown (Composite Toe)



MEDIUM 8-12, 13, 14

WIDE 8-12, 13, 14, 15



PUNCTURE RESISTANT WORK BOOTS

TOUGH ENOUGH FOR EVERY TASK WITH UNDERFOOT PROTECTION

- Swen-Flex® PR plate is engineered to deliver flexible puncture resistance
- Storm Defender™ waterproof keeps feet dry but lets them breathe
- Insulated styles to keep your feet warm

Ground Force Waterproof Insulated 8" Work Boot

Black Composite Toe CMR8959
Swen-Flex PR Plate

FEATURES

- Oil tanned leather upper.
- Storm Defender™ waterproof breathable membrane and 400g 3M™ Thinsulate™ insulation.
- Molded rubber toe bumper with abrasion resistant rubber heel.
- Carhartt LWD Lightweight Durable midsole with Insite® footbed.
- Nylon shank.
- Cement constructed with Carhartt rubber Ground Force outsole.*
- *OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 50.
- Imported.
- Slip Resistant ASTM F3445-21 SR
- CSA Grade 1 ST, PR Electrical Shock and ASTM 2413-18 PR, EH



CMR8959 - Black (Composite Toe)
(Swen-Flex PR Plate)



WIDE 8-12, 13, 14, 15

Rugged Flex® Waterproof Insulated 8" Work Boot

Brown Composite Toe CMR8939
Swen-Flex PR Plate

FEATURES

- Oil tanned leather upper.
- Storm Defender™ waterproof breathable membrane and 400g 3M™ Thinsulate™ insulation.
- Rubber toe bumper.
- EVA midsole with PU strobel pad and PU with foam cushion insole.
- Fiberglass shank.
- Cement constructed with Carhartt rubber Rugged Flex® outsole.*
- *OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 58.
- Imported.
- Slip Resistant ASTM F3445-21 SR
- CSA Grade 1 ST, PR Electrical Shock and ASTM 2413-18 PR, EH



CMR8939 - Brown (Composite Toe)
(Swen-Flex PR Plate)



WIDE 8-12, 13, 14, 15

Rugged Flex® Waterproof 6" Work Boot

Black Composite Toe CMR6971
Swen-Flex PR Plate

FEATURES

- Oil tanned leather upper.
- Storm Defender™ waterproof breathable membrane.
- Rubber toe and heel bumper.
- EVA midsole with PU strobel pad and PU with foam cushion insole.
- Fiberglass shank.
- Cement constructed with Carhartt rubber Rugged Flex® outsole.*
- *OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 58.
- Imported.
- Slip Resistant ASTM F3445-21 SR
- CSA Grade 1 ST, PR Electrical Shock and ASTM 2413-18 PR, EH



CMR6971 - Black (Composite Toe)
(Swen-Flex PR Plate)



WIDE 8-12, 13, 14, 15

MUDRUNNER BOOTS

RUBBER BOOTS THAT KEEP YOU DRY AND COMFORTABLE IN THE DIRTIEST ENVIRONMENTS

- Full and half sizes for a true fit
- Waterproof rubber and neoprene to keep your feet dry and warm
- Carhartt with Insite® footbeds feel like a custom orthotic in your boot



ENVIRONMENT	GOOD	BETTER	BEST
OIL RESISTANCE		●	
CHEMICAL RESISTANCE		●	
ABRASION RESISTANCE			●
HEAT RESISTANCE		●	
SLIP RESISTANCE		●	


Performance chart is suggested for the intended environment.

Mudrunner Waterproof 15" Rubber Boot

Black	Nano Toe Soft Toe	CMV1451 CMV1151
-------	----------------------	--------------------

FEATURES

- Waterproof rubber upper with stretch neoprene.
- Heel Kicker utility ledge for easy-off.
- Supportive Insite® footbed.
- Non-mutilating.
- Steel shank.
- Vulcanized construction with Carhartt rubber compound.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR



CMV1451 - Black (Nano Toe)
CMV1151 - Black (Soft Toe)


MEDIUM 7, 8, 9, 9.5, 10, 10.5, 11, 11.5, 12, 13, 14, 15

Mudrunner Waterproof 10" Rubber Boot

Black	Soft Toe	CMV1121
-------	----------	---------

FEATURES

- Waterproof rubber upper with stretch neoprene.
- Supportive Insite® footbed.
- Heel Kicker utility ledge for easy-off.
- Non-mutilating.
- Steel shank.
- Vulcanized construction with Carhartt rubber compound.
- Imported.
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR



CMV1121 - Black (Soft Toe)

MEDIUM 7, 8, 9, 9.5, 10, 10.5, 11, 11.5, 12, 13, 14, 15

WOODWORKS CLIMBING BOOTS

RUGGED LOGGER BOOTS MADE FOR THOSE WHO AREN'T AFRAID TO CLIMB TO THE CHALLENGE

- Storm Defender™ waterproof keeps feet dry but lets them breathe
- Insulated style to keep your feet warm
- Cushion comfort foam footbeds for all day comfort

ENVIRONMENT	GOOD	BETTER	BEST
OIL RESISTANCE		●	
CHEMICAL RESISTANCE		●	
ABRASION RESISTANCE			●
HEAT RESISTANCE		●	
SLIP RESISTANCE		●	

Performance chart is suggested for the intended environment.




Waterproof 8" Climbing Work Boot

Brown Composite Toe CML8360

FEATURES

- Vintage oil tanned leather upper with abrasion resistant durable fabric.
- Storm Defender™ waterproof breathable membrane.
- TPU heel stabilizer with achilles flex joint.
- PU strobrel pad with PU cushion insoles.
- Steel shank.
- Goodyear welt construction with Carhartt WoodWorks rubber outsole.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Slip Resistant ASTM F3445-21 SR



CML8360 - Brown (Composite Toe)

MEDIUM 8-12, 13, 14

WIDE 8-12, 13, 14, 15

Waterproof 8" Climbing Work Boot

Brown Composite Toe CML8369

FEATURES

- Vintage oil tanned leather upper with abrasion resistant durable fabric.
- Storm Defender™ waterproof breathable membrane and 600g LiteFire® insulation.
- TPU heel stabilizer with achilles flex joint.
- PU strobrel pad with PU cushion insoles.
- Steel shank.
- Goodyear welt construction with Carhartt WoodWorks rubber outsole.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Slip Resistant ASTM F3445-21 SR



CML8369 - Brown (Composite Toe)

MEDIUM 8-12, 13, 14

WIDE 8-12, 13, 14, 15

A worker wearing a brown jacket, grey beanie, and heavy-duty boots is working on a snowy industrial site. The worker is leaning over a large metal structure, possibly a ship's hull, and is handling a thick chain. The scene is set in a cold, snowy environment, emphasizing the need for extreme weather gear.

YUKON EXTREMES PAC BOOT

EXTREME WEATHER CALLS FOR EXTREME BOOTS

- 1000 Litefire® Insulation
- Storm Defender™ waterproof keeps feet dry but lets them breathe
- Insulated to keep your feet warm
- Foam cushion insole with EVA custom fit removable insert

Yukon Pac Waterproof Insulated 10" Pac Boot

Brown/Black Composite Toe CMC1259

FEATURES

- Oil tanned leather upper with PU coated abrasion resistant leather.
- Storm Defender™ waterproof breathable membrane and 1000g LiteFire® insulation.
- Molded rubber toe bumper.
- TPU Heel Guard® with achilles flex joint.
- Foam cushion insole with TPU arch support and EVA custom fit removable insert.
- Fiberglass shank.
- Cement constructed with Carhartt rubber Rugged Flex® outsole.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Slip Resistant ASTM F3445-21 SR



STORM DEFENDER



LITEFIRE



FAST DRY LINING



CUSHION COMFORT INSOLE



RUBBER OUTSOLE



CARHARTT HEEL GUARD



ELECTRICAL HAZARD



RUBBER TOE



COMPOSITE TOE



CMC1259 - Brown/Black Composite Toe

MEDIUM/ WIDE 8-12, 13, 14, 15

MULTI FIT



RUGGED FLEX® RUBBER OUTSOLE

HEAT, ABRASION, AND SLIP RESISTANT

SHALLOW LUGS

RELEASE MUD AND DIRT

LADDER LOCK GRIPS

PERFECT BOOT FOR CLIMBING

ENVIRONMENT	GOOD	BETTER	BEST
OIL RESISTANCE		●	
CHEMICAL RESISTANCE		●	
ABRASION RESISTANCE			●
HEAT RESISTANCE		●	
SLIP RESISTANCE		●	

Performance chart is suggested for the intended environment.

POP AND MARKETING

Merchandising Support



- A. SLAT WALL HEADER**
25" X 9" / CHP20121
- B. SLAT WALL BACKER**
16" X 63" / CHP20171
- C. SLAT WALL SHELF 3-PACK**
11" x 6.5" / CHP20122
- D. SLATWALL/FLOOR UNIT FOOTER**
11" x 9.75" / CHP20124



SHOE TOWER
15"w x 15"d x 60.5"h / CHP20161




FLOOR MAT
4' x 3' / CHP20125B



BENCH
18"w x 36"l x 18"h / CHP20162



LUCITE SLATWALL SHELF TALKER 3-PACK
3" x 4" / CHP20132



LOZIER SHELF W/PVC, 3 PACK
10" x 6" / CHP20131



SLAT WALL EXTENDED ARM
CHP20181



CARHARTT DISPLAY PROGRAM FOR 10+ SKU'S
Slat wall units available.
Please ask your sales representative for information.



FREESTANDING DISPLAY
26"w x 30"d x 30"h / CHP20205



BOOT INSERT*
3.5" x 11" / CHP20177




SHOE RISER*
12.5" x 5" / CHP20178



EASEL BACK TABLE TALK GRAPHIC
8" x 11" / CHP20180



HEADER
25" x 9" / CHP20121-F



WINDOW CLING
10" x 4" / CHP20172
11" x 8.5" / CHP20173
12" x 12" / CHP20174



SHOE RISER*
12.5" x 5" / CHP20146



EASEL BACK TABLE TALK GRAPHIC
8" x 11" / CHP20194



IN STORE BANNER
4' x 2' / CHP20134



IN STORE BANNER
4' x 2' / CHP20136




BOOT INSERT*
4" x 11" / CHP20191



SHOE RISER*
12.5" x 5" / CHP20192



MEN'S WINDOW CLING
24" x 36" / CHP20231




WOMEN'S WINDOW CLING
24" x 36" / CHP20232



FLOOR DECAL
3' x 2' / CHP20176



FLOOR DECALS
12" x 12" / LEFT & RIGHT / CHP20175



FLOOR DECALS
12" x 12" / LEFT CHP20209A / RIGHT CHP20209B



EASEL BACK TABLE TALK GRAPHIC
8" x 11" / CHP20150C



EASEL BACK TABLE TALK GRAPHIC
8" x 11" / CHP20233



EASEL BACK TABLE TALK GRAPHIC
8" x 11" / CHP20234



EASEL BACK TABLE TALK GRAPHIC
8" x 11" / CHP20235



EASEL BACK TABLE TALK GRAPHIC
8" x 11" / CHP20236

ORDER AND SALES CONTACT INFORMATION

CARHARTT FOOTWEAR ORDERING INFORMATION AND ALL CUSTOMER INQUIRES

Black Diamond Group, 300 TradeCenter, Suite 5550, Woburn, MA 01801
Toll Free: 855-277-8944 / For Questions and Information: customerservice@bdboots.com
Toll Free Fax: 888-425-1760 / For Placing Orders: orders@bdboots.com

CARHARTT FOOTWEAR SALES CONTACT INFORMATION

NATIONAL SALES DIRECTOR

ALAN JONES

e-mail: ajones@bdboots.com
cell: 603-770-3801

VICE PRESIDENT OF NATIONAL ACCOUNTS

CJ SCOPE

e-mail: cjscope@bdboots.com
cell: 574-360-6721

MID-ATLANTIC TERRITORY MANAGER

DE, E.PA, MD, NJ

WILL HARTSOUGH

e-mail: whartsough@bdboots.com
cell: 856-725-7587

SOUTH EAST TERRITORY MANAGER

STATES: GA, NC, SC, TN, VA

ADAM THOMAS

e-mail: athomas@bdboots.com
cell: 615-692-9413

GREAT LAKES TERRITORY MANAGER

STATES: IN, KY, MI, OH, WV, W.PA

LOGAN PAHANISH

e-mail: lpahanish@bdboots.com
cell: 724-610-7492

NORTH CENTRAL TERRITORY MANAGER

STATES: IA, N.IL, MN, ND, NE, WI

ADAM PHENOW

e-mail: aphenow@bdboots.com
cell: 763-232-7123

DIRECTOR, DIGITAL – ECOMMERCE

AMY CROCKER

e-mail: acrocker@bdboots.com
cell: 206-225-8773

NATIONAL ACCOUNTS MANAGER

KEVIN BARGER

e-mail: kbarger@bdboots.com
cell: 814-280-3084

NORTH WEST TERRITORY MANAGER

STATES: AK, ID, MT, OR, WA

JEFF SCARLETT

e-mail: jscarlett@bdboots.com
cell: 253-209-2222

SOUTH CENTRAL TERRITORY MANAGER

STATES: AR, S.IL, KS, MO, OK

BETH EILERS

e-mail: beilers@bdboots.com
cell: 314-808-1176

MOUNTAIN STATES TERRITORY MANAGER

STATES: CO, NE, SD, UT, WY

KYLE SEDAR

e-mail: ksedar@bdboots.com
cell: 307-258-1175

BUSINESS DEVELOPMENT MANAGER

WILLIAM HARTSOUGH

e-mail: whartsough@bdboots.com
cell: 856-725-7587

DIRECTOR OF INDUSTRIAL SALES

JARROD BEARD

e-mail: jbeard@bdboots.com
cell: 614-886-2504

NATIONAL ACCOUNTS MANAGER

LEE VIRCHOW

e-mail: lvirchow@bdboots.com
cell: 515-402-1108

NORTH EAST TERRITORY MANAGER

PETE WOODWARD

STATES: CT, MA, ME, NH, NY, RI, VT

e-mail: pwoodward@bdboots.com
cell: 781-258-5772

SOUTH WEST TERRITORY MANAGER

STATES: AZ, CA, HI, NM, NV

MIKE TOUSIGNANT

e-mail: mtousignant@bdboots.com
cell: 951-970-2249

GULF REGION TERRITORY MANAGER

STATES: FL, AL, MS, LA, TX, PR, US ISLANDS

MITCHELL MANN

e-mail: mmann@bdboots.com
cell: 803-381-7246